

# Office of Research Integrity

## ■ Research Data Management and Integrity Practices


William C Trenkle, Ph.D.

Scientist-Investigator, Division of Investigative Oversight

Office of Research Integrity, HHS

Presented at the National Data Integrity Conference,  
2015

# Topics

- Office of Research Integrity (ORI) mission and process.
  - Examples of Research Data and Forensic Analysis.
    - The slippery slope from beautification to Research Misconduct
  - Discussion of developing Challenges facing the Research Community.
- 

# ORI's Mission

**Mission:** To promote the integrity of Public Health Service supported extramural and intramural research programs

- Respond effectively to allegations of research misconduct
- Promote research integrity
- Deter research misconduct through public disclosure of findings and penalties.

# Definition of Research Misconduct

Title 42: Public Health

PART 93—PUBLIC HEALTH SERVICE POLICIES ON RESEARCH MISCONDUCT

Subpart A—General

§ 93.103 Research misconduct.

*Research misconduct* means fabrication, falsification, or plagiarism in proposing, performing, or reviewing research, or in reporting research results.


- (a) *Fabrication* is making up data or results and recording or reporting them.
- (b) *Falsification* is manipulating research materials, equipment, or processes, or changing or omitting data or results such that the research is not accurately represented in the research record.
- (c) *Plagiarism* is the appropriation of another person's ideas, processes, results, or words without giving appropriate credit.
- (d) *Research misconduct* does not include honest error or differences of opinion.



# Proof of Research Misconduct

A finding of misconduct requires -

- That there be a significant departure from accepted practices of the relevant research community, and
- The misconduct be committed intentionally, knowingly, or recklessly; and
- The allegation be proven by a preponderance of the evidence, (42 CFR Part 93.104)



# Additional ORI Activities


- Administer the Assurance program, a database of all institutions eligible to receive PHS funds
- Correct or retract research publications to protect the integrity of the scientific literature
- Protect the confidentiality of respondents, complainants, and witnesses
- Protect witnesses from retaliation (42 CFR 93.300 (d) )

Institutions Registered in Assurance Database




# ORI Activities (cont)

- Provide education in RCR
- Collaborate with the research community to improve biomedical research
- Exclude dishonest investigators from PHS and Federal agency funded research
- Make public findings of misconduct so that institutions and individuals will be aware of wrongdoing



ORI lacks jurisdictions for many types of inappropriate behavior: some are referred to other agencies


- Misuse of human or animal subjects
  - Misconduct and other complaints involving FDA-regulated research
  - Financial mismanagement
  - Radiation or biosafety hazards
  - Conflict of interest
- 

# Other issues not within ORI's jurisdiction:


- Honest error or honest differences in interpretations or judgments of data
- Authorship or credit disputes
- Duplicate publication
- Collaboration agreements or research-related disputes among collaborators
- Intellectual property





# Supporting Coordination & Collaboration



# Handling Cases of Research Misconduct




# Key Metrics – Division of Investigative Oversight






# A few key issues that ORI has found contribute most significantly to allowing misconduct

1. Inadequate record keeping and lack of guidance from mentors and Institutions on how to record and retain research data;
  2. Failure of mentors to regularly review raw data; overreliance on derivative data (PowerPoint presentations) at lab meetings
  3. Unquestioning acceptance of data that others consider “too good to be true”
- 

# More issues that facilitate misconduct


- 4. Lack of transparency within the laboratory and among the staff
- 5. Labs so large that authority becomes diffuse
- 6. P.I.s are spread too thin, and do not provide adequate training and guidance to students

The bottom line – good mentorship and the consistent review of raw data can profoundly reduce the likelihood of research misconduct.




# DIO Oversight: Forensics

- During the 20 years that OSI/ORI have existed, investigators have developed a number of computer-assisted tools and approaches to help strengthen institutional findings.
- The following slides will provide a few examples of this.



## ORI Cases With Questioned Images




1 2 3 4 5 6 7 8 9 10

2 Year Reporting Period ('89-90 to '07-08)

# Examples of analyzing images

- Several examples follow which illustrate how ORI can examine images provided by institutions during their investigation.
- Many of ORI's cases involve images that are duplicated from paper to paper or paper to grant application. This may be duplicate publication, but when such images are said to be the result of different experiments, one of the images, at minimum, has been potentially falsified.
- The first example, however, is a little different.




~~12/17/18 August 14th 1891~~








An obscured data entry; two slightly different colored inks.



The result of "removing" most of the "scribbling."






# This is why the RIO sent the previous sample to ORI for Review


In this case, 1 film was used to represent 2 experiments

Corner of Film





the same film used for mouse a and mouse Myo D and Myo G

# Scanned film separated by hue



Result: writing in red erased from film then re-labeled

In this example, the respondent published a figure (shown to the right) and claimed that the blot had been stripped and re-probed to provide a loading control (not shown). ORI's review of the notebook showed that she had cut a film into two fragments and claimed that one-half was the loading control. However, forensic examination clearly established that the two films were cut from a single exposure of a blot.





# When the films were aligned and scanned in reflection mode:





Image processing tools bring out hidden features:

- common edge
- scratches and prints crossing edge



# Moving to the digital age


- The next examples illustrate the importance of the eye to detect evidence of inappropriate image manipulation.
- In addition, many ORI cases rely on prompt sequestration of evidence, including hard drives and portable storage media, to ensure that manipulated images can be shown to have originated with a particular individual.
- Time-date stamps are often probative with respect to how and when the manipulations occurred.



# A Slippery Slope


- The next few slides show how difficult it can be to determine if a manipulation is appropriate, possibly inappropriate, or obviously fraudulent.
- Generally, ORI is reluctant to make findings of misconduct when an image has been “beautified” by altering background, or by reuse of loading controls, when the actual data verifies the factual findings claimed in the grant or paper.
- However, adding or removing important elements of a figure can often be considered evidence for intentional falsification.

**A**






**HIV *gag* DNA - *in situ* PCR**













**Cells expressing HIV RNA**



**Cells harboring HIV DNA**



An example of unique images that alerted the institution to apparent falsification. The original images were of all positive or all negative cells positive for a gene different from HIV DNA or RNA.








Figure 5a, *Journal of Clinical Investigation*, 105:1407-17, 2000

Fig. 2D5, *Jour. Exp. Med.* manuscript; Fig. 3.5, Mullins grant; Fig. 11, Greenberg grant

Figure C.2.3, Mittler grant






Early asymptomatic




FIX

Symptomatic



# How to detect non-obvious changes

- Some of the following slides will illustrate how Photoshop can be used to help our eyes visualize alterations to images, and verify suspected duplications, through the use of specific tools such as the gradient map, contours, and various enhancements such as contrast and intensity.



# DETECTION

Increase Visibility of "Hidden" Details

The human eye detects  
only 40-50? shades of  
gray

The human eye detects  
only 40-50? shades of

The human eye detects  
only 40-50? shades of

The human eye detects  
only 40-50? shades of  
gray

But COMPUTERS  
Love Small Changes  
in Gray and Contrast







# Forensic Examination of Scientific Images

1. Contrast Enhancement (“Curves”) - human eye is not very good at detecting small differences in gray scale
2. Texture, Variance – examination for erasures
3. Histogram Equalization – quick look for background inconsistencies
4. Gradient Map – powerful tool to reveal many similarities in background and band morphologies
5. Embossing – shadowing makes the image slightly dimensional to reveal borders in background or edges
6. Overlay of Images – shows similarities of images

# Contrast Enhancement – detecting small differences in gray scale




Original Data



Contrast Enhanced




# Effect of Histogram Equalization: background inconsistencies




Effect of Histogram Equalization:

“SPLICED” DATA?




manipulation DOES NOT mean research misconduct

# When a Problem is Found: Extend Visualization




Visualization  
shows the  
BANDS ARE  
TOO  
SIMILAR TO  
BE  
DIFFERENT




# Embossing – reveals borders in background or edges



Original Data




Published Data





Embossed

## Forensic Value of Background:



- ▶ Harder to see since it has the least contrast
- ▶ Overlooked since not of primary interest, i.e., below the perceptual “radar screen”



# Gradient Map – reveals similarities in background and bands





Original Data



Colorized Data



# MORPHOLOGICAL FEATURES OF BANDS




# False Colorization "Gradient Map" Reveals Mini-features

67 MW  
band


32 MW  
band


**LOWER  
BANDS  
SHOW NO  
SIMILARITY**





## Duplication Example

- ❖ Grant applicant accepted data from a postdoctoral fellow without reviewing the raw data.
- ❖ Visual inspection and forensic comparison of gel images suggested duplication/reuse/relabeling had occurred.
- ❖ Postdoctoral fellow admitted to extensive falsification and/or fabrication through reuse and/or resizing and/or alteration of images.
- ❖ To the right is a figure that purportedly showed research results, but none of the experiments were ever run.








**C.**



**C.**












## Duplication Example

- ❖ Grant applicant accepted data from a postdoctoral fellow without reviewing the raw data.
- ❖ Visual inspection and forensic comparison of gel images suggested duplication/reuse/relabeling had occurred.
- ❖ Postdoctoral fellow admitted to extensive falsification and/or fabrication through reuse and/or resizing and/or alteration of images.
- ❖ To the right is a figure that purportedly showed research results, but none of the experiments were ever run.







# Developing Challenges

- Cloud Computing/Email policies
- Personal Computer/Device policies
- Original Data-policy for retention and storage

# Developing Challenges

## ■ Cloud Computing/Email policies

- One institution had a senior professor who allowed his Post-doctoral fellows to store raw and processed data on personal DropBox accounts.
- This data was unrecoverable by the institution without a court order.
- The Institution determined the best course of action was to ban personal accounts and provided Professional accounts owned by the Institution.



# Developing Challenges

## ■ Personal Computer/Device policies


- Many cases of Research Misconduct involve personal computers.
- Failure of the institution to obtain these computers has resulted in loss of primary data and inhibited ability to complete investigations.
- Some institutions have gone to court to recover university owned data residing on personal computers.
- Some institutions have policies that require the use of institution owned computers.

# Developing Challenges

- Original Data-policy for retention and storage
  - The NIH grants policy guide requires retention of data for the term of grant plus three years.
  - A number of recent cases of alleged R.M. have revealed groups with essentially no original data retention.
  - Institutions are developing policies for the retention of primary data and research results to protect their Intellectual Property.


# Conclusions

- Data retention and evaluation is important for evaluation of allegations of misconduct.
- Evaluation of the raw data is critical for early detection of problems.
- ORI can provide advice confidentially regarding potential Research Misconduct questions.



# ORI can provide assistance

240 453 8800; [AskORI@hhs.gov](mailto:AskORI@hhs.gov)

- Telephone or on site assistance available
  - Allegation assessment
  - Advice on policies and procedures, for example :
    - Sequestration of evidence
    - Acquisition of digital information (forensic imaging of hard drives)
  - Properly getting an inquiry or investigation under way
  - Analysis of the evidence, such as assisting with analysis of questioned images
  - Investigative strategy and legal problems
- 



ORI 1/07